

```
por omisión 19:45:06.180063+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "38786800.000000";
  node = "-Output";
  peak = "-92.257874";
  "report_type" = RMS;
  rms = "-104.006866";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:45:06.180474+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=38786800.000000 ] -- [ rms:
[-104.006866], peaks:[-92.257874] ]
por omisión 19:45:09.796583+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "38933120.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:45:09.796720+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=38933120.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:16.164366+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "39227120.000000";
  node = "-Output";
  peak = "-92.299644";
  "report_type" = RMS;
  rms = "-104.014343";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:45:16.164504+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=39227120.000000 ] -- [ rms:
[-104.014343], peaks:[-92.299644] ]
por omisión 19:45:19.804497+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
```

```
"issue_detected_sample_time" = "39374464.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:45:19.804620+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=39374464.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:26.172065+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "39668464.000000";
  node = "-Output";
  peak = "-92.114700";
  "report_type" = RMS;
  rms = "-104.007584";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:45:26.172193+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=39668464.000000 ] -- [ rms:
[-104.007584], peaks:[-92.114700] ]
por omisión 19:45:29.812068+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "39815808.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:45:29.812203+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=39815808.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:36.179958+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40109808.000000";
  node = "-Output";
```

```
    peak = "-92.431412";
    "report_type" = RMS;
    rms = "-104.021469";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137227
  )" }
por omisión 19:45:36.180135+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=40109808.000000 ] -- [ rms:
[-104.021469], peaks:[-92.431412] ]
por omisión 19:45:39.796510+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40256128.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:45:39.796667+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=40256128.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:46.164421+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40550128.000000";
  node = "-Output";
  peak = "-92.379112";
  "report_type" = RMS;
  rms = "-104.009232";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:45:46.164550+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=40550128.000000 ] -- [ rms:
[-104.009232], peaks:[-92.379112] ]
por omisión 19:45:49.804269+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40697472.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
```

```
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:45:49.804388+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=40697472.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:56.172178+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "40991472.000000";
    node = "-Output";
    peak = "-92.398529";
    "report_type" = RMS;
    rms = "-104.014221";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:45:56.172305+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=40991472.000000 ] -- [ rms:
[-104.014221], peaks:[-92.398529] ]
por omisión 19:45:59.812017+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "41138816.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:45:59.812223+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=41138816.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:06.180073+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "41432816.000000";
    node = "-Output";
    peak = "-92.490692";
    "report_type" = RMS;
    rms = "-104.014900";
    "rtaid_client" = HAL;
```

```
}", reporters="(
    1163936137227
)" }
por omisión 19:46:06.180207+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=41432816.000000 ] -- [ rms:
[-104.014900], peaks:[-92.490692] ]
por omisión 19:46:09.796391+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "41579136.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:46:09.796523+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=41579136.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:16.164606+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "41873832.000000";
    node = "-Output";
    peak = "-92.284607";
    "report_type" = RMS;
    rms = "-104.019615";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:46:16.164787+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=41873832.000000 ] -- [ rms:
[-104.019615], peaks:[-92.284607] ]
por omisión 19:46:19.804153+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "42020480.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
```

```
)" }
por omisión 19:46:19.804419+0100 coreaudioc IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=42020480.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:26.172457+0100 coreaudioc
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42314480.000000";
  node = "-Output";
  peak = "-92.468224";
  "report_type" = RMS;
  rms = "-104.023544";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:46:26.172665+0100 coreaudioc IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=42314480.000000 ] -- [ rms:
[-104.023544], peaks:[-92.468224] ]
por omisión 19:46:29.811789+0100 coreaudioc
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42461824.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:46:29.811980+0100 coreaudioc IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=42461824.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:36.180130+0100 coreaudioc
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42755824.000000";
  node = "-Output";
  peak = "-92.523308";
  "report_type" = RMS;
  rms = "-104.032433";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:46:36.180241+0100 coreaudioc IssueReporting.cpp:491
```

```
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=42755824.000000 ] -- [ rms:
[-104.032433], peaks:[-92.523308] ]
por omisión 19:46:39.796421+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42902144.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:46:39.796637+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=42902144.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:46.164664+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "43196144.000000";
  node = "-Output";
  peak = "-92.373955";
  "report_type" = RMS;
  rms = "-104.011391";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:46:46.164772+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=43196144.000000 ] -- [ rms:
[-104.011391], peaks:[-92.373955] ]
por omisión 19:46:49.803981+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "43343488.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:46:49.804122+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=43343488.000000 ] -- [ rms:
```

```
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:56.172575+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "43637488.000000";
  node = "-Output";
  peak = "-92.680420";
  "report_type" = RMS;
  rms = "-104.001907";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:46:56.172725+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=43637488.000000 ] -- [ rms:
[-104.001907], peaks:[-92.680420] ]
por omisión 19:46:59.811836+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "43784832.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:46:59.812071+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=43784832.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:06.180427+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "44078832.000000";
  node = "-Output";
  peak = "-17.738731";
  "report_type" = RMS;
  rms = "-43.689499";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:47:06.180625+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=44078832.000000 ] -- [ rms:
[-43.689499], peaks:[-17.738731] ]
por omisión 19:47:09.796260+0100 coreaudiod
```



```
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"44225152.000000\";
  node = \"usb -Output\";
  peak = \"-240.000000\";
  \"report_type\" = RMS;
  rms = \"-120.000000\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137226
)" }
por omisión 19:47:09.796487+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=44225152.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:16.164880+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"44519152.000000\";
  node = \"-Output\";
  peak = \"-92.756950\";
  \"report_type\" = RMS;
  rms = \"-104.026459\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137227
)" }
por omisión 19:47:16.165028+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=44519152.000000 ] -- [ rms:
[-104.026459], peaks:[-92.756950] ]
por omisión 19:47:19.803937+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"44666496.000000\";
  node = \"usb -Output\";
  peak = \"-240.000000\";
  \"report_type\" = RMS;
  rms = \"-120.000000\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137226
)" }
por omisión 19:47:19.804147+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=44666496.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:26.172787+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"44960496.000000\";
```

```
node = "-Output";
peak = "-92.243195";
"report_type" = RMS;
rms = "-104.016434";
"rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:47:26.172991+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=44960496.000000 ] -- [ rms:
[-104.016434], peaks:[-92.243195] ]
por omisión 19:47:29.811676+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "45107840.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:47:29.811887+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=45107840.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:36.180532+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "45401840.000000";
    node = "-Output";
    peak = "-92.390396";
    "report_type" = RMS;
    rms = "-104.008255";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:47:36.180715+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=45401840.000000 ] -- [ rms:
[-104.008255], peaks:[-92.390396] ]
por omisión 19:47:39.796145+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "45548160.000000";
    node = "usb -Output";
    peak = "-240.000000";
```

```

    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
  }, reporters="(
    1163936137226
  )" }
por omisión 19:47:39.796489+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=45548160.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:46.165007+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "45842160.000000";
  node = "-Output";
  peak = "-92.289497";
  "report_type" = RMS;
  rms = "-104.011627";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:47:46.165195+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=45842160.000000 ] -- [ rms:
[-104.011627], peaks:[-92.289497] ]
por omisión 19:47:48.777278+0100 runningboarddPeriodic Run States
<RBProcessState|
identity:app<application.com.deskew.gigperformer4.12911521.12911526(501)>
role:UserInteractiveNonFocal gpuRole:UserInteractive explicitJetsamBand:100
memoryLimit:Inactive(Soft) flags:60 guaranteedRunning:NO
legacyFinishTaskReason:0 inheritances:<RBMutableInheritanceCollection|
inheritancesByEnvironment:{

  }> attributes:[
  SupportsBackgroundAudio
  ] primitiveAssertions:[
  <RBSPProcessAssertionInfo| type:2 reason:0 name:"Domain"
domain:"com.apple.appnap:AppDrawing" expl:"AppDrawing">,
  <RBSPProcessAssertionInfo| type:2 reason:20242 name:"Domain"
domain:"com.apple.appnap:AppVisible" expl:"AppVisible">,
  <RBSPProcessAssertionInfo| type:2 reason:10000 name:"Domain"
domain:"com.apple.fuseboard:Visible" expl:"FUSBProcessWindowState:
visible">,
  <RBSPProcessAssertionInfo| type:2 reason:20009 name:"Domain"
domain:"com.apple.CoreAudio.HAL:AudioHAL" expl:"AudioHAL">,
  <RBSPProcessAssertionInfo| type:2 reason:20244 name:"Domain"
domain:"com.apple.appnap:PowerAssertion" expl:"App is holding power as<...>

```

```
por omisión 19:47:49.803801+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "45989504.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:47:49.803953+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=45989504.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:56.172805+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "46283504.000000";
  node = "-Output";
  peak = "-92.495422";
  "report_type" = RMS;
  rms = "-104.020882";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:47:56.172929+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=46283504.000000 ] -- [ rms:
[-104.020882], peaks:[-92.495422] ]
por omisión 19:47:59.811526+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "46430848.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:47:59.811724+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=46430848.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:06.180552+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
```

```
"issue_detected_sample_time" = "46724848.000000";
node = "-Output";
peak = "-92.526947";
"report_type" = RMS;
rms = "-104.000511";
"rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:48:06.180695+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=46724848.000000 ] -- [ rms:
[-104.000511], peaks:[-92.526947] ]
por omisión 19:48:09.796025+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "46871168.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:48:09.796130+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=46871168.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:16.165144+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "47165168.000000";
  node = "-Output";
  peak = "-92.615524";
  "report_type" = RMS;
  rms = "-104.009186";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:48:16.165266+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=47165168.000000 ] -- [ rms:
[-104.009186], peaks:[-92.615524] ]
por omisión 19:48:19.803637+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "47312512.000000";
  node = "usb -Output";
```

```
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137226
  )" }
por omisión 19:48:19.803774+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=47312512.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:26.173019+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "47606832.000000";
  node = "-Output";
  peak = "-92.711166";
  "report_type" = RMS;
  rms = "-104.006691";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:48:26.173131+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=47606832.000000 ] -- [ rms:
[-104.006691], peaks:[-92.711166] ]
por omisión 19:48:29.811501+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "47753856.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:48:29.811779+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=47753856.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:36.180705+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "48047856.000000";
  node = "-Output";
  peak = "-92.546112";
  "report_type" = RMS;
```

```
rms = "-104.018280";
"rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:48:36.180857+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=48047856.000000 ] -- [ rms:
[-104.018280], peaks:[-92.546112] ]
por omisión 19:48:39.795845+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "48194176.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:48:39.795993+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=48194176.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:46.165430+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "48488176.000000";
    node = "-Output";
    peak = "-92.504089";
    "report_type" = RMS;
    rms = "-104.025101";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:48:46.165582+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=48488176.000000 ] -- [ rms:
[-104.025101], peaks:[-92.504089] ]
por omisión 19:48:49.803570+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "48635520.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
```

```
}", reporters="(
    1163936137226
)" }
por omisión 19:48:49.803764+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=48635520.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:56.173116+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "48929520.000000";
    node = "-Output";
    peak = "-92.576866";
    "report_type" = RMS;
    rms = "-104.014221";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:48:56.173295+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=48929520.000000 ] -- [ rms:
[-104.014221], peaks:[-92.576866] ]
por omisión 19:48:59.811306+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "49076864.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:48:59.811542+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=49076864.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:06.180923+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "49370864.000000";
    node = "-Output";
    peak = "-91.920349";
    "report_type" = RMS;
    rms = "-104.010918";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
```



```
)" }
por omisión 19:49:06.181051+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=49370864.000000 ] -- [ rms:
[-104.010918], peaks:[-91.920349] ]
por omisión 19:49:09.795747+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49517184.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:09.795876+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=49517184.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:16.165421+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49811184.000000";
  node = "-Output";
  peak = "-92.586830";
  "report_type" = RMS;
  rms = "-104.020676";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:49:16.165569+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=49811184.000000 ] -- [ rms:
[-104.020676], peaks:[-92.586830] ]
por omisión 19:49:19.803517+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49958528.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:19.803647+0100 coreaudiod IssueReporting.cpp:491
```

```
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=49958528.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:26.173268+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "50252528.000000";
  node = "-Output";
  peak = "-92.293701";
  "report_type" = RMS;
  rms = "-104.009087";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:49:26.173461+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=50252528.000000 ] -- [ rms:
[-104.009087], peaks:[-92.293701] ]
por omisión 19:49:29.811405+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "50399872.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:29.811548+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=50399872.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:36.181128+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "50693872.000000";
  node = "-Output";
  peak = "-92.570793";
  "report_type" = RMS;
  rms = "-104.019867";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:49:36.181360+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=50693872.000000 ] -- [ rms:
```

```
[-104.019867], peaks:[-92.570793] ]
por omisión 19:49:39.795669+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "50840192.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:39.795805+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=50840192.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:46.165524+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "51134192.000000";
  node = "-Output";
  peak = "-92.454140";
  "report_type" = RMS;
  rms = "-104.004250";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:49:46.165664+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=51134192.000000 ] -- [ rms:
[-104.004250], peaks:[-92.454140] ]
por omisión 19:49:49.803395+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "51281536.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:49.803606+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=51281536.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:56.173351+0100 coreaudiod
```

```
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "51575536.000000";
  node = "-Output";
  peak = "-92.324432";
  "report_type" = RMS;
  rms = "-103.995857";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:49:56.173475+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=51575536.000000 ] -- [ rms:
[-103.995857], peaks:[-92.324432] ]
por omisión 19:49:59.811151+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "51722880.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:59.811527+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=51722880.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:06.181165+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "52016880.000000";
  node = "-Output";
  peak = "-92.643593";
  "report_type" = RMS;
  rms = "-104.008797";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:50:06.181344+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=52016880.000000 ] -- [ rms:
[-104.008797], peaks:[-92.643593] ]
por omisión 19:50:09.795631+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "52163200.000000";
```

```
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:50:09.795787+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=52163200.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:16.165685+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "52457200.000000";
    node = "-Output";
    peak = "-92.494514";
    "report_type" = RMS;
    rms = "-104.006500";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:50:16.165822+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=52457200.000000 ] -- [ rms:
[-104.006500], peaks:[-92.494514] ]
por omisión 19:50:19.803267+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "52604544.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:50:19.803416+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=52604544.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:26.173584+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "52898544.000000";
    node = "-Output";
    peak = "-92.248001";
```

```
"report_type" = RMS;
rms = "-104.007462";
"rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:50:26.173743+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=52898544.000000 ] -- [ rms:
[-104.007462], peaks:[-92.248001] ]
por omisión 19:50:29.810935+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "53045888.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:50:29.811088+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=53045888.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:36.181219+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "53339888.000000";
  node = "-Output";
  peak = "-92.567055";
  "report_type" = RMS;
  rms = "-104.002945";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:50:36.181351+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=53339888.000000 ] -- [ rms:
[-104.002945], peaks:[-92.567055] ]
por omisión 19:50:39.795447+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "53486208.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
```

```
"rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:50:39.795555+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=53486208.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:46.165816+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "53780208.000000";
  node = "-Output";
  peak = "-92.304230";
  "report_type" = RMS;
  rms = "-104.009537";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:50:46.165981+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=53780208.000000 ] -- [ rms:
[-104.009537], peaks:[-92.304230] ]
por omisión 19:50:49.803158+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "53927552.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:50:49.803287+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=53927552.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:50.145296+0100 AudioComponentRegistrar
AudioComponentRegistrar.mm:192 (main 1 pid 951)
por omisión 19:50:50.146083+0100 AudioComponentRegistrar
AudioComponentRegistrar.mm:326 GetComponentList includeExtensions: 0
waitForExtensions: 0
por omisión 19:50:51.848309+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:310 registration server connection invalidated
error19:50:51.848398+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:574 reg server remote proxy error Error
```

Domain=NSCocoaErrorDomain Code=4099 "The connection to service named com.apple.audio.AudioComponentRegistrar was invalidated: failed at lookup with error 159 - Sandbox restriction." UserInfo={NSDebugDescription=The connection to service named com.apple.audio.AudioComponentRegistrar was invalidated: failed at lookup with error 159 - Sandbox restriction.}

por omisión 19:50:52.750008+0100 com.apple.WebKit.GPU
HALSystem.cpp:119 Enabling HAL Voice Isolation support

por omisión 19:50:52.766304+0100 coreaudiod [0x7f83c42a9460]
activating connection: mach=true listener=false peer=false
name=com.apple.tccd.system

por omisión 19:50:52.774863+0100 coreaudiod [0x7f83c42a9460]
invalidated after the last release of the connection object

por omisión 19:50:52.774950+0100 coreaudiod [0x7f83c42a9460]
activating connection: mach=true listener=false peer=false
name=com.apple.tccd.system

error19:50:52.776371+0100 tccd TCCDProcess:
identifier=com.apple.audio.coreaudiod, pid=271, auid=202, euid=202,
binary_path=/usr/sbin/coreaudiod attempted to call TCCAccessRequest for
kTCCServiceScreenCapture without the recommended
com.apple.private.tcc.manager.check-by-audit-token entitlement

error19:50:52.776432+0100 tccd Request message contains a target_token to
accessing_process (TCCDProcess: identifier=com.apple.WebKit.GPU, pid=962,
auid=501, euid=501, binary_path=/System/Volumes/Preboot/Cryptexes/
Incoming/OS/System/Library/Frameworks/WebKit.framework/Versions/A/
XPCServices/com.apple.WebKit.GPU.xpc/Contents/MacOS/
com.apple.WebKit.GPU) but TCCDProcess:
identifier=com.apple.audio.coreaudiod, pid=271, auid=202, euid=202,
binary_path=/usr/sbin/coreaudiod is not a TCC manager for service:
kTCCServiceScreenCapture.

por omisión 19:50:52.776638+0100 coreaudiod [0x7f83c42a9460]
invalidated after the last release of the connection object

por omisión 19:50:52.776717+0100 coreaudiod [0x7f83c45b7b60]
activating connection: mach=true listener=false peer=false
name=com.apple.tccd.system

por omisión 19:50:52.804056+0100 coreaudiod [0x7f83c45b7b60]
invalidated after the last release of the connection object

por omisión 19:50:52.806590+0100 com.apple.WebKit.GPU
HALPlugInManagement.cpp:393 HALPlugInManagement::RegisterPlugIns:
skipping in-process plug-ins

por omisión 19:50:52.866872+0100 com.apple.WebKit.GPU
HALC_ProxyObject.cpp:1456 HALC_Object_PropertyListener: not initialized

por omisión 19:50:52.872788+0100 com.apple.WebKit.GPU
HALC_ProxyObject.cpp:1456 HALC_Object_PropertyListener: not initialized

por omisión 19:50:52.877209+0100 coreaudiod IsHidden: 1

por omisión 19:50:52.882787+0100 coreaudiod IsHidden: 1

por omisión 19:50:53.158442+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:310 registration server connection invalidated

error19:50:53.158643+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:574 reg server remote proxy error Error
Domain=NSCocoaErrorDomain Code=4099 "The connection to service named
com.apple.audio.AudioComponentRegistrar was invalidated: failed at lookup
with error 159 - Sandbox restriction." UserInfo={NSDebugDescription=The
connection to service named com.apple.audio.AudioComponentRegistrar was
invalidated: failed at lookup with error 159 - Sandbox restriction.}
por omisión 19:50:53.915899+0100 AudioComponentRegistrar
AudioComponentRegistrar.mm:326 GetComponentList includeExtensions: 0
waitForExtensions: 0
por omisión 19:50:54.046854+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:310 registration server connection invalidated
error19:50:54.046998+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:574 reg server remote proxy error Error
Domain=NSCocoaErrorDomain Code=4099 "The connection to service named
com.apple.audio.AudioComponentRegistrar was invalidated: failed at lookup
with error 159 - Sandbox restriction." UserInfo={NSDebugDescription=The
connection to service named com.apple.audio.AudioComponentRegistrar was
invalidated: failed at lookup with error 159 - Sandbox restriction.}
por omisión 19:50:56.173569+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "54221552.000000";
node = "-Output";
peak = "-92.339539";
"report_type" = RMS;
rms = "-104.013718";
"rtaid_client" = HAL;
}", reporters="(1163936137227
)" }
por omisión 19:50:56.173729+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=54221552.000000] -- [rms:
[-104.013718], peaks:[-92.339539]]
por omisión 19:50:59.811314+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "54368896.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(1163936137226
)" }
por omisión 19:50:59.811486+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL

```
node=usb -Output issue_detected_sample_time=54368896.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:06.181314+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "54662896.000000";
  node = "-Output";
  peak = "-92.465225";
  "report_type" = RMS;
  rms = "-104.010765";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:06.181436+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=54662896.000000 ] -- [ rms:
[-104.010765], peaks:[-92.465225] ]
por omisión 19:51:09.795394+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "54809216.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:09.795576+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=54809216.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:16.165988+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55103216.000000";
  node = "-Output";
  peak = "-92.561836";
  "report_type" = RMS;
  rms = "-104.019348";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:16.166124+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=55103216.000000 ] -- [ rms:
[-104.019348], peaks:[-92.561836] ]
```

```
por omisión 19:51:19.803042+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55250560.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:19.803244+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=55250560.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:26.173692+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55544560.000000";
  node = "-Output";
  peak = "-92.564842";
  "report_type" = RMS;
  rms = "-104.027016";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:26.173851+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=55544560.000000 ] -- [ rms:
[-104.027016], peaks:[-92.564842] ]
por omisión 19:51:29.810683+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55691904.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:29.810797+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=55691904.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:36.181513+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
```

```
"issue_detected_sample_time" = "55985904.000000";
node = "-Output";
peak = "-92.646240";
"report_type" = RMS;
rms = "-104.033432";
"rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:36.181662+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=55985904.000000 ] -- [ rms:
[-104.033432], peaks:[-92.646240] ]
por omisión 19:51:39.795327+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "56132224.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:39.795450+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=56132224.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:46.166090+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "56426224.000000";
  node = "-Output";
  peak = "-92.738953";
  "report_type" = RMS;
  rms = "-104.015968";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:46.166232+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=56426224.000000 ] -- [ rms:
[-104.015968], peaks:[-92.738953] ]
por omisión 19:51:49.802894+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "56573568.000000";
  node = "usb -Output";
```

```
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137226
  )" }
por omisión 19:51:49.803020+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=56573568.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:56.173944+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "56867568.000000";
  node = "-Output";
  peak = "-92.603348";
  "report_type" = RMS;
  rms = "-104.019592";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:56.174105+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=56867568.000000 ] -- [ rms:
[-104.019592], peaks:[-92.603348] ]
por omisión 19:51:59.810683+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "57014912.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:59.810849+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=57014912.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:06.181694+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "57308912.000000";
  node = "-Output";
  peak = "-91.869919";
  "report_type" = RMS;
```

```
rms = "-104.007919";
"rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:52:06.181833+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=57308912.000000 ] -- [ rms:
[-104.007919], peaks:[-91.869919] ]
por omisión 19:52:09.795236+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "57455232.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:52:09.795469+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=57455232.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:16.166213+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "57749232.000000";
    node = "-Output";
    peak = "-92.544060";
    "report_type" = RMS;
    rms = "-104.006538";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:52:16.166322+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=57749232.000000 ] -- [ rms:
[-104.006538], peaks:[-92.544060] ]
por omisión 19:52:19.803024+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "57896576.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
```

```
}", reporters="(
    1163936137226
)" }
por omisión 19:52:19.803141+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=57896576.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:26.173974+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "58190576.000000";
    node = "-Output";
    peak = "-92.414215";
    "report_type" = RMS;
    rms = "-104.026978";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:52:26.174099+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=58190576.000000 ] -- [ rms:
[-104.026978], peaks:[-92.414215] ]
por omisión 19:52:29.810534+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "58337920.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:52:29.810658+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=58337920.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:36.181787+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "58631920.000000";
    node = "-Output";
    peak = "-92.607231";
    "report_type" = RMS;
    rms = "-104.020096";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
```

```
)" }  
por omisión 19:52:36.181926+0100 coreaudiod IssueReporting.cpp:491  
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL  
node=-Output issue_detected_sample_time=58631920.000000 ] -- [ rms:  
[-104.020096], peaks:[-92.607231] ]
```

```
por omisión 19:45:06.180063+0100 coreaudiod  
CAReportingClient.mm:699 Sending message { message="{  
  "issue_detected_sample_time" = "38786800.000000";  
  node = "-Output";  
  peak = "-92.257874";  
  "report_type" = RMS;  
  rms = "-104.006866";  
  "rtaid_client" = HAL;  
}", reporters="( 1163936137227  
)" }
```

```
por omisión 19:45:06.180474+0100 coreaudiod IssueReporting.cpp:491  
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL  
node=-Output issue_detected_sample_time=38786800.000000 ] -- [ rms:  
[-104.006866], peaks:[-92.257874] ]
```

```
por omisión 19:45:09.796583+0100 coreaudiod  
CAReportingClient.mm:699 Sending message { message="{  
  "issue_detected_sample_time" = "38933120.000000";  
  node = "usb -Output";  
  peak = "-240.000000";  
  "report_type" = RMS;  
  rms = "-120.000000";  
  "rtaid_client" = HAL;  
}", reporters="( 1163936137226  
)" }
```

```
por omisión 19:45:09.796720+0100 coreaudiod IssueReporting.cpp:491  
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL  
node=usb -Output issue_detected_sample_time=38933120.000000 ] -- [ rms:  
[-120.000000], peaks:[-240.000000] ]
```

```
por omisión 19:45:16.164366+0100 coreaudiod  
CAReportingClient.mm:699 Sending message { message="{  
  "issue_detected_sample_time" = "39227120.000000";  
  node = "-Output";  
  peak = "-92.299644";  
  "report_type" = RMS;  
  rms = "-104.014343";  
  "rtaid_client" = HAL;  
}", reporters="( 1163936137227  
)" }
```


por omisión 19:45:16.164504+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=39227120.000000] -- [rms:
[-104.014343], peaks:[-92.299644]]

por omisión 19:45:19.804497+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "39374464.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(1163936137226
)" }

por omisión 19:45:19.804620+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=39374464.000000] -- [rms:
[-120.000000], peaks:[-240.000000]]

por omisión 19:45:26.172065+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "39668464.000000";
node = "-Output";
peak = "-92.114700";
"report_type" = RMS;
rms = "-104.007584";
"rtaid_client" = HAL;
}", reporters="(1163936137227
)" }

por omisión 19:45:26.172193+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=39668464.000000] -- [rms:
[-104.007584], peaks:[-92.114700]]

por omisión 19:45:29.812068+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "39815808.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(1163936137226
)" }

por omisión 19:45:29.812203+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL

```
node=usb -Output issue_detected_sample_time=39815808.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:36.179958+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40109808.000000";
  node = "-Output";
  peak = "-92.431412";
  "report_type" = RMS;
  rms = "-104.021469";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:45:36.180135+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=40109808.000000 ] -- [ rms:
[-104.021469], peaks:[-92.431412] ]
por omisión 19:45:39.796510+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40256128.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:45:39.796667+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=40256128.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:46.164421+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40550128.000000";
  node = "-Output";
  peak = "-92.379112";
  "report_type" = RMS;
  rms = "-104.009232";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:45:46.164550+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=40550128.000000 ] -- [ rms:
[-104.009232], peaks:[-92.379112] ]
```

```
por omisión 19:45:49.804269+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40697472.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:45:49.804388+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=40697472.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:45:56.172178+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "40991472.000000";
  node = "-Output";
  peak = "-92.398529";
  "report_type" = RMS;
  rms = "-104.014221";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:45:56.172305+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=40991472.000000 ] -- [ rms:
[-104.014221], peaks:[-92.398529] ]
por omisión 19:45:59.812017+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "41138816.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:45:59.812223+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=41138816.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:06.180073+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
```

```
"issue_detected_sample_time" = "41432816.000000";
node = "-Output";
peak = "-92.490692";
"report_type" = RMS;
rms = "-104.014900";
"rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:46:06.180207+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=41432816.000000 ] -- [ rms:
[-104.014900], peaks:[-92.490692] ]
por omisión 19:46:09.796391+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "41579136.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:46:09.796523+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=41579136.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:16.164606+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "41873832.000000";
  node = "-Output";
  peak = "-92.284607";
  "report_type" = RMS;
  rms = "-104.019615";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:46:16.164787+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=41873832.000000 ] -- [ rms:
[-104.019615], peaks:[-92.284607] ]
por omisión 19:46:19.804153+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42020480.000000";
  node = "usb -Output";
```

```
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137226
  )" }
por omisión 19:46:19.804419+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=42020480.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:26.172457+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42314480.000000";
  node = "-Output";
  peak = "-92.468224";
  "report_type" = RMS;
  rms = "-104.023544";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:46:26.172665+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=42314480.000000 ] -- [ rms:
[-104.023544], peaks:[-92.468224] ]
por omisión 19:46:29.811789+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42461824.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:46:29.811980+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=42461824.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:36.180130+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "42755824.000000";
  node = "-Output";
  peak = "-92.523308";
  "report_type" = RMS;
```

```
rms = "-104.032433";
"rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:46:36.180241+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=42755824.000000 ] -- [ rms:
[-104.032433], peaks:[-92.523308] ]
por omisión 19:46:39.796421+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "42902144.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:46:39.796637+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=42902144.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:46.164664+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "43196144.000000";
    node = "-Output";
    peak = "-92.373955";
    "report_type" = RMS;
    rms = "-104.011391";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:46:46.164772+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=43196144.000000 ] -- [ rms:
[-104.011391], peaks:[-92.373955] ]
por omisión 19:46:49.803981+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "43343488.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
```

```
}", reporters="(
    1163936137226
)" }
por omisión 19:46:49.804122+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=43343488.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:46:56.172575+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "43637488.000000";
    node = "-Output";
    peak = "-92.680420";
    "report_type" = RMS;
    rms = "-104.001907";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:46:56.172725+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=43637488.000000 ] -- [ rms:
[-104.001907], peaks:[-92.680420] ]
por omisión 19:46:59.811836+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "43784832.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:46:59.812071+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=43784832.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:06.180427+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "44078832.000000";
    node = "-Output";
    peak = "-17.738731";
    "report_type" = RMS;
    rms = "-43.689499";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
```

```
)" }
por omisión 19:47:06.180625+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=44078832.000000 ] -- [ rms:
[-43.689499], peaks:[-17.738731] ]
por omisión 19:47:09.796260+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "44225152.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:47:09.796487+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=44225152.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:16.164880+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "44519152.000000";
  node = "-Output";
  peak = "-92.756950";
  "report_type" = RMS;
  rms = "-104.026459";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:47:16.165028+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=44519152.000000 ] -- [ rms:
[-104.026459], peaks:[-92.756950] ]
por omisión 19:47:19.803937+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "44666496.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:47:19.804147+0100 coreaudiod IssueReporting.cpp:491
```



```
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=44666496.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:26.172787+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "44960496.000000";
  node = "-Output";
  peak = "-92.243195";
  "report_type" = RMS;
  rms = "-104.016434";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:47:26.172991+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=44960496.000000 ] -- [ rms:
[-104.016434], peaks:[-92.243195] ]
por omisión 19:47:29.811676+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "45107840.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:47:29.811887+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=45107840.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:36.180532+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "45401840.000000";
  node = "-Output";
  peak = "-92.390396";
  "report_type" = RMS;
  rms = "-104.008255";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:47:36.180715+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=45401840.000000 ] -- [ rms:
```

```
[-104.008255], peaks:[-92.390396] ]
por omisión 19:47:39.796145+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "45548160.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:47:39.796489+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=45548160.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:46.165007+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "45842160.000000";
  node = "-Output";
  peak = "-92.289497";
  "report_type" = RMS;
  rms = "-104.011627";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:47:46.165195+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=45842160.000000 ] -- [ rms:
[-104.011627], peaks:[-92.289497] ]
por omisión 19:47:48.777278+0100 runningboarddPeriodic Run States
<RBProcessState|
identity:app<application.com.deskew.gigperformer4.12911521.12911526(501)>
role:UserInteractiveNonFocal gpuRole:UserInteractive explicitJetsamBand:100
memoryLimit:Inactive(Soft) flags:60 guaranteedRunning:NO
legacyFinishTaskReason:0 inheritances:<RBMutableInheritanceCollection|
inheritancesByEnvironment:{

  }> attributes:[
  SupportsBackgroundAudio
  ] primitiveAssertions:[
  <RBSPProcessAssertionInfo| type:2 reason:0 name:"Domain"
domain:"com.apple.appnap:AppDrawing" expl:"AppDrawing">,
  <RBSPProcessAssertionInfo| type:2 reason:20242 name:"Domain"
domain:"com.apple.appnap:AppVisible" expl:"AppVisible">,
  <RBSPProcessAssertionInfo| type:2 reason:10000 name:"Domain"
```

```
domain:"com.apple.fuseboard:Visible" expl:"FUSBProcessWindowState:
visible">,
    <RBSProcessAssertionInfo| type:2 reason:20009 name:"Domain"
domain:"com.apple.CoreAudio.HAL:AudioHAL" expl:"AudioHAL">,
    <RBSProcessAssertionInfo| type:2 reason:20244 name:"Domain"
domain:"com.apple.appnap:PowerAssertion" expl:"App is holding power as<...>
por omisión 19:47:49.803801+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "45989504.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:47:49.803953+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=45989504.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:47:56.172805+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "46283504.000000";
    node = "-Output";
    peak = "-92.495422";
    "report_type" = RMS;
    rms = "-104.020882";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:47:56.172929+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=46283504.000000 ] -- [ rms:
[-104.020882], peaks:[-92.495422] ]
por omisión 19:47:59.811526+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "46430848.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
```

por omisión 19:47:59.811724+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=46430848.000000] -- [rms:
[-120.000000], peaks:[-240.000000]]

por omisión 19:48:06.180552+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "46724848.000000";
node = "-Output";
peak = "-92.526947";
"report_type" = RMS;
rms = "-104.000511";
"rtaid_client" = HAL;
}", reporters="(1163936137227
)" }

por omisión 19:48:06.180695+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=46724848.000000] -- [rms:
[-104.000511], peaks:[-92.526947]]

por omisión 19:48:09.796025+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "46871168.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(1163936137226
)" }

por omisión 19:48:09.796130+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=46871168.000000] -- [rms:
[-120.000000], peaks:[-240.000000]]

por omisión 19:48:16.165144+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "47165168.000000";
node = "-Output";
peak = "-92.615524";
"report_type" = RMS;
rms = "-104.009186";
"rtaid_client" = HAL;
}", reporters="(1163936137227
)" }

por omisión 19:48:16.165266+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL

```
node=-Output issue_detected_sample_time=47165168.000000 ] -- [ rms:
[-104.009186], peaks:[-92.615524] ]
por omisión 19:48:19.803637+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "47312512.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:48:19.803774+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=47312512.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:26.173019+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "47606832.000000";
  node = "-Output";
  peak = "-92.711166";
  "report_type" = RMS;
  rms = "-104.006691";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:48:26.173131+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=47606832.000000 ] -- [ rms:
[-104.006691], peaks:[-92.711166] ]
por omisión 19:48:29.811501+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "47753856.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:48:29.811779+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=47753856.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
```

```
por omisión 19:48:36.180705+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "48047856.000000";
  node = "-Output";
  peak = "-92.546112";
  "report_type" = RMS;
  rms = "-104.018280";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:48:36.180857+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=48047856.000000 ] -- [ rms:
[-104.018280], peaks:[-92.546112] ]
por omisión 19:48:39.795845+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "48194176.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:48:39.795993+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=48194176.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:46.165430+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "48488176.000000";
  node = "-Output";
  peak = "-92.504089";
  "report_type" = RMS;
  rms = "-104.025101";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:48:46.165582+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=48488176.000000 ] -- [ rms:
[-104.025101], peaks:[-92.504089] ]
por omisión 19:48:49.803570+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
```

```
"issue_detected_sample_time" = "48635520.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:48:49.803764+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=48635520.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:48:56.173116+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "48929520.000000";
  node = "-Output";
  peak = "-92.576866";
  "report_type" = RMS;
  rms = "-104.014221";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:48:56.173295+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=48929520.000000 ] -- [ rms:
[-104.014221], peaks:[-92.576866] ]
por omisión 19:48:59.811306+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49076864.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:48:59.811542+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=49076864.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:06.180923+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49370864.000000";
  node = "-Output";
```

```
    peak = "-91.920349";
    "report_type" = RMS;
    rms = "-104.010918";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137227
  )" }
por omisión 19:49:06.181051+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=49370864.000000 ] -- [ rms:
[-104.010918], peaks:[-91.920349] ]
por omisión 19:49:09.795747+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49517184.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:09.795876+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=49517184.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:16.165421+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49811184.000000";
  node = "-Output";
  peak = "-92.586830";
  "report_type" = RMS;
  rms = "-104.020676";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:49:16.165569+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=49811184.000000 ] -- [ rms:
[-104.020676], peaks:[-92.586830] ]
por omisión 19:49:19.803517+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "49958528.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
```



```
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:49:19.803647+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=49958528.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:26.173268+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "50252528.000000";
    node = "-Output";
    peak = "-92.293701";
    "report_type" = RMS;
    rms = "-104.009087";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:49:26.173461+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=50252528.000000 ] -- [ rms:
[-104.009087], peaks:[-92.293701] ]
por omisión 19:49:29.811405+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "50399872.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:49:29.811548+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=50399872.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:36.181128+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "50693872.000000";
    node = "-Output";
    peak = "-92.570793";
    "report_type" = RMS;
    rms = "-104.019867";
    "rtaid_client" = HAL;
```

```
}", reporters="(
    1163936137227
)" }
por omisión 19:49:36.181360+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=50693872.000000 ] -- [ rms:
[-104.019867], peaks:[-92.570793] ]
por omisión 19:49:39.795669+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "50840192.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
)" }
por omisión 19:49:39.795805+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=50840192.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:46.165524+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "51134192.000000";
    node = "-Output";
    peak = "-92.454140";
    "report_type" = RMS;
    rms = "-104.004250";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137227
)" }
por omisión 19:49:46.165664+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=51134192.000000 ] -- [ rms:
[-104.004250], peaks:[-92.454140] ]
por omisión 19:49:49.803395+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
    "issue_detected_sample_time" = "51281536.000000";
    node = "usb -Output";
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
}", reporters="(
    1163936137226
```

```
)" }
por omisión 19:49:49.803606+0100 coreaudioc IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=51281536.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:49:56.173351+0100 coreaudioc
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "51575536.000000";
  node = "-Output";
  peak = "-92.324432";
  "report_type" = RMS;
  rms = "-103.995857";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:49:56.173475+0100 coreaudioc IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=51575536.000000 ] -- [ rms:
[-103.995857], peaks:[-92.324432] ]
por omisión 19:49:59.811151+0100 coreaudioc
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "51722880.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:49:59.811527+0100 coreaudioc IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=51722880.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:06.181165+0100 coreaudioc
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "52016880.000000";
  node = "-Output";
  peak = "-92.643593";
  "report_type" = RMS;
  rms = "-104.008797";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:50:06.181344+0100 coreaudioc IssueReporting.cpp:491
```

```
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=52016880.000000 ] -- [ rms:
[-104.008797], peaks:[-92.643593] ]
por omisión 19:50:09.795631+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"52163200.000000\";
  node = \"usb -Output\";
  peak = \"-240.000000\";
  \"report_type\" = RMS;
  rms = \"-120.000000\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137226
)" }
por omisión 19:50:09.795787+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=52163200.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:16.165685+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"52457200.000000\";
  node = \"-Output\";
  peak = \"-92.494514\";
  \"report_type\" = RMS;
  rms = \"-104.006500\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137227
)" }
por omisión 19:50:16.165822+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=52457200.000000 ] -- [ rms:
[-104.006500], peaks:[-92.494514] ]
por omisión 19:50:19.803267+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"52604544.000000\";
  node = \"usb -Output\";
  peak = \"-240.000000\";
  \"report_type\" = RMS;
  rms = \"-120.000000\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137226
)" }
por omisión 19:50:19.803416+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=52604544.000000 ] -- [ rms:
```

```
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:26.173584+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "52898544.000000";
  node = "-Output";
  peak = "-92.248001";
  "report_type" = RMS;
  rms = "-104.007462";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:50:26.173743+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=52898544.000000 ] -- [ rms:
[-104.007462], peaks:[-92.248001] ]
por omisión 19:50:29.810935+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "53045888.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:50:29.811088+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=53045888.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:36.181219+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "53339888.000000";
  node = "-Output";
  peak = "-92.567055";
  "report_type" = RMS;
  rms = "-104.002945";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:50:36.181351+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=53339888.000000 ] -- [ rms:
[-104.002945], peaks:[-92.567055] ]
por omisión 19:50:39.795447+0100 coreaudiod
```

```
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"53486208.000000\";
  node = \"usb -Output\";
  peak = \"-240.000000\";
  \"report_type\" = RMS;
  rms = \"-120.000000\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137226
)" }
por omisión 19:50:39.795555+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=53486208.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:46.165816+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"53780208.000000\";
  node = \"-Output\";
  peak = \"-92.304230\";
  \"report_type\" = RMS;
  rms = \"-104.009537\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137227
)" }
por omisión 19:50:46.165981+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=53780208.000000 ] -- [ rms:
[-104.009537], peaks:[-92.304230] ]
por omisión 19:50:49.803158+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  \"issue_detected_sample_time\" = \"53927552.000000\";
  node = \"usb -Output\";
  peak = \"-240.000000\";
  \"report_type\" = RMS;
  rms = \"-120.000000\";
  \"rtaid_client\" = HAL;
}"; reporters="(
  1163936137226
)" }
por omisión 19:50:49.803287+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=53927552.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:50:50.145296+0100 AudioComponentRegistrar
AudioComponentRegistrar.mm:192 (main 1 pid 951)
por omisión 19:50:50.146083+0100 AudioComponentRegistrar
```

AudioComponentRegistrar.mm:326 GetComponentList includeExtensions: 0
waitForExtensions: 0
por omisión 19:50:51.848309+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:310 registration server connection invalidated
error19:50:51.848398+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:574 reg server remote proxy error Error
Domain=NSCocoaErrorDomain Code=4099 "The connection to service named
com.apple.audio.AudioComponentRegistrar was invalidated: failed at lookup
with error 159 - Sandbox restriction." UserInfo={NSDebugDescription=The
connection to service named com.apple.audio.AudioComponentRegistrar was
invalidated: failed at lookup with error 159 - Sandbox restriction.}
por omisión 19:50:52.750008+0100 com.apple.WebKit.GPU
HALSystem.cpp:119 Enabling HAL Voice Isolation support
por omisión 19:50:52.766304+0100 coreaudiod [0x7f83c42a9460]
activating connection: mach=true listener=false peer=false
name=com.apple.tccd.system
por omisión 19:50:52.774863+0100 coreaudiod [0x7f83c42a9460]
invalidated after the last release of the connection object
por omisión 19:50:52.774950+0100 coreaudiod [0x7f83c42a9460]
activating connection: mach=true listener=false peer=false
name=com.apple.tccd.system
error19:50:52.776371+0100 tccd TCCDProcess:
identifier=com.apple.audio.coreaudiod, pid=271, auid=202, euid=202,
binary_path=/usr/sbin/coreaudiod attempted to call TCCAccessRequest for
kTCCServiceScreenCapture without the recommended
com.apple.private.tcc.manager.check-by-audit-token entitlement
error19:50:52.776432+0100 tccd Request message contains a target_token to
accessing_process (TCCDProcess: identifier=com.apple.WebKit.GPU, pid=962,
auid=501, euid=501, binary_path=/System/Volumes/Preboot/Cryptexes/
Incoming/OS/System/Library/Frameworks/WebKit.framework/Versions/A/
XPCServices/com.apple.WebKit.GPU.xpc/Contents/MacOS/
com.apple.WebKit.GPU) but TCCDProcess:
identifier=com.apple.audio.coreaudiod, pid=271, auid=202, euid=202,
binary_path=/usr/sbin/coreaudiod is not a TCC manager for service:
kTCCServiceScreenCapture.
por omisión 19:50:52.776638+0100 coreaudiod [0x7f83c42a9460]
invalidated after the last release of the connection object
por omisión 19:50:52.776717+0100 coreaudiod [0x7f83c45b7b60]
activating connection: mach=true listener=false peer=false
name=com.apple.tccd.system
por omisión 19:50:52.804056+0100 coreaudiod [0x7f83c45b7b60]
invalidated after the last release of the connection object
por omisión 19:50:52.806590+0100 com.apple.WebKit.GPU
HALPlugInManagement.cpp:393 HALPlugInManagement::RegisterPlugIns:
skipping in-process plug-ins
por omisión 19:50:52.866872+0100 com.apple.WebKit.GPU
HALC_ProxyObject.cpp:1456 HALC_Object_PropertyListener: not initialized

por omisión 19:50:52.872788+0100 com.apple.WebKit.GPU
HALC_ProxyObject.cpp:1456 HALC_Object_PropertyListener: not initialized
por omisión 19:50:52.877209+0100 coreaudiod IsHidden: 1
por omisión 19:50:52.882787+0100 coreaudiod IsHidden: 1
por omisión 19:50:53.158442+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:310 registration server connection invalidated
error19:50:53.158643+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:574 reg server remote proxy error Error
Domain=NSCocoaErrorDomain Code=4099 "The connection to service named
com.apple.audio.AudioComponentRegistrar was invalidated: failed at lookup
with error 159 - Sandbox restriction." UserInfo={NSDebugDescription=The
connection to service named com.apple.audio.AudioComponentRegistrar was
invalidated: failed at lookup with error 159 - Sandbox restriction.}
por omisión 19:50:53.915899+0100 AudioComponentRegistrar
AudioComponentRegistrar.mm:326 GetComponentList includeExtensions: 0
waitForExtensions: 0
por omisión 19:50:54.046854+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:310 registration server connection invalidated
error19:50:54.046998+0100 com.apple.WebKit.WebContent
AudioComponentPluginMgr.mm:574 reg server remote proxy error Error
Domain=NSCocoaErrorDomain Code=4099 "The connection to service named
com.apple.audio.AudioComponentRegistrar was invalidated: failed at lookup
with error 159 - Sandbox restriction." UserInfo={NSDebugDescription=The
connection to service named com.apple.audio.AudioComponentRegistrar was
invalidated: failed at lookup with error 159 - Sandbox restriction.}
por omisión 19:50:56.173569+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "54221552.000000";
node = "-Output";
peak = "-92.339539";
"report_type" = RMS;
rms = "-104.013718";
"rtaid_client" = HAL;
}", reporters="(1163936137227)" }
por omisión 19:50:56.173729+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=54221552.000000] -- [rms:
[-104.013718], peaks:[-92.339539]]
por omisión 19:50:59.811314+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "54368896.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";


```
"rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:50:59.811486+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=54368896.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:06.181314+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "54662896.000000";
  node = "-Output";
  peak = "-92.465225";
  "report_type" = RMS;
  rms = "-104.010765";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:06.181436+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=54662896.000000 ] -- [ rms:
[-104.010765], peaks:[-92.465225] ]
por omisión 19:51:09.795394+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "54809216.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:09.795576+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=54809216.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:16.165988+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55103216.000000";
  node = "-Output";
  peak = "-92.561836";
  "report_type" = RMS;
  rms = "-104.019348";
  "rtaid_client" = HAL;
}", reporters="(
```

```
1163936137227
)" }
por omisión 19:51:16.166124+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=55103216.000000 ] -- [ rms:
[-104.019348], peaks:[-92.561836] ]
por omisión 19:51:19.803042+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55250560.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:19.803244+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=55250560.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:26.173692+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55544560.000000";
  node = "-Output";
  peak = "-92.564842";
  "report_type" = RMS;
  rms = "-104.027016";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:26.173851+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=55544560.000000 ] -- [ rms:
[-104.027016], peaks:[-92.564842] ]
por omisión 19:51:29.810683+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "55691904.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
```

por omisión 19:51:29.810797+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=55691904.000000] -- [rms:
[-120.000000], peaks:[-240.000000]]

por omisión 19:51:36.181513+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "55985904.000000";
node = "-Output";
peak = "-92.646240";
"report_type" = RMS;
rms = "-104.033432";
"rtaid_client" = HAL;
}", reporters="(1163936137227
)" }

por omisión 19:51:36.181662+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=55985904.000000] -- [rms:
[-104.033432], peaks:[-92.646240]]

por omisión 19:51:39.795327+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "56132224.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(1163936137226
)" }

por omisión 19:51:39.795450+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=56132224.000000] -- [rms:
[-120.000000], peaks:[-240.000000]]

por omisión 19:51:46.166090+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
"issue_detected_sample_time" = "56426224.000000";
node = "-Output";
peak = "-92.738953";
"report_type" = RMS;
rms = "-104.015968";
"rtaid_client" = HAL;
}", reporters="(1163936137227
)" }

por omisión 19:51:46.166232+0100 coreaudiod IssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL

```
node=-Output issue_detected_sample_time=56426224.000000 ] -- [ rms:
[-104.015968], peaks:[-92.738953] ]
por omisión 19:51:49.802894+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "56573568.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:49.803020+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=56573568.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:51:56.173944+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "56867568.000000";
  node = "-Output";
  peak = "-92.603348";
  "report_type" = RMS;
  rms = "-104.019592";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:51:56.174105+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=56867568.000000 ] -- [ rms:
[-104.019592], peaks:[-92.603348] ]
por omisión 19:51:59.810683+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "57014912.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:51:59.810849+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=57014912.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
```

```
por omisión 19:52:06.181694+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "57308912.000000";
  node = "-Output";
  peak = "-91.869919";
  "report_type" = RMS;
  rms = "-104.007919";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:52:06.181833+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=57308912.000000 ] -- [ rms:
[-104.007919], peaks:[-91.869919] ]
por omisión 19:52:09.795236+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "57455232.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:52:09.795469+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=57455232.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:16.166213+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "57749232.000000";
  node = "-Output";
  peak = "-92.544060";
  "report_type" = RMS;
  rms = "-104.006538";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:52:16.166322+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=57749232.000000 ] -- [ rms:
[-104.006538], peaks:[-92.544060] ]
por omisión 19:52:19.803024+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
```

```
"issue_detected_sample_time" = "57896576.000000";
node = "usb -Output";
peak = "-240.000000";
"report_type" = RMS;
rms = "-120.000000";
"rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:52:19.803141+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=57896576.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:26.173974+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "58190576.000000";
  node = "-Output";
  peak = "-92.414215";
  "report_type" = RMS;
  rms = "-104.026978";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:52:26.174099+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=58190576.000000 ] -- [ rms:
[-104.026978], peaks:[-92.414215] ]
por omisión 19:52:29.810534+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "58337920.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:52:29.810658+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=58337920.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:36.181787+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "58631920.000000";
  node = "-Output";
```

```
    peak = "-92.607231";
    "report_type" = RMS;
    rms = "-104.020096";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137227
  )" }
por omisión 19:52:36.181926+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=58631920.000000 ] -- [ rms:
[-104.020096], peaks:[-92.607231] ]
por omisión 19:52:39.795077+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "58778240.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:52:39.795236+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=58778240.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:52:40.509820+0100 Console update collaboration items for
activityItems:(
  "por omisi\u00f3n\t19:45:06.180063+0100\tcoreaudiod\t
CAReportingClient.mm:699 Sending message { message="{\n
  \"issue_detected_sample_time\" = \"38786800.000000\";\n  node = \"-
Output\";\n  peak = \"-92.257874\";\n  \"report_type\" = RMS;\n  rms =
\"-104.006866\";\n  \"rtaid_client\" = HAL;\n}\"\n}", reporters="\n
1163936137227\n)" }npor
omisi\u00f3n\t19:45:06.180474+0100\tcoreaudiod\tIssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=38786800.000000 ] -- [ rms:
[-104.006866], peaks:[-92.257874] ]npor
omisi\u00f3n\t19:45:09.796583+0100\tcoreaudiod\t
CAReportingClient.mm:699 Sending message { message="{\n
  \"issue_detected_sample_time\" = \"38933120.000000\";\n  node = \"usb
-Output\";\n  peak = \"-240.000000\";\n  \"report_type\" = RMS;\n  rms =
\"-120.000000\";\n  \"rtaid_client\" = HAL;\n}\"\n}", reporters="\n
1163936137226\n)" }npor omisi\u00f3n\t19:45:09.796720+0100
por omisión 19:52:40.510210+0100 Console request collaboration items
for activity items:(
  "por omisi\u00f3n\t19:45:06.180063+0100\tcoreaudiod\t
```

CAReportingClient.mm:699 Sending message { message="{\n
\"issue_detected_sample_time\" = \"38786800.000000\";\n node = \"-
Output\";\n peak = \"-92.257874\";\n \"report_type\" = RMS;\n rms =
\"-104.006866\";\n \"rtaid_client\" = HAL;\n}\", reporters="{(\n
1163936137227\n)}\npor

omisi\U00f3n\t19:45:06.180474+0100\tcoreaudiod\tIssueReporting.cpp:491
RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=38786800.000000] -- [rms:
[-104.006866], peaks:[-92.257874]]\npor

omisi\U00f3n\t19:45:09.796583+0100\tcoreaudiod\t
CAREportingClient.mm:699 Sending message { message="{\n
\"issue_detected_sample_time\" = \"38933120.000000\";\n node = \"usb
-Output\";\n peak = \"-240.000000\";\n \"report_type\" = RMS;\n rms =
\"-120.000000\";\n \"rtaid_client\" = HAL;\n}\", reporters="{(\n
1163936137226\n)}\npor omisi\U00f3n\t19:45:09.796720+0100

por omisión 19:52:46.166405+0100 coreaudiod

CAREportingClient.mm:699 Sending message { message="{
 \"issue_detected_sample_time\" = \"59072832.000000\";
 node = \"-Output\";
 peak = \"-92.570641\";
 \"report_type\" = RMS;
 rms = \"-104.020653\";
 \"rtaid_client\" = HAL;
 }\", reporters="{(
 1163936137227
)\" }
por omisión 19:52:46.166584+0100 coreaudiod IssueReporting.cpp:491

RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=59072832.000000] -- [rms:
[-104.020653], peaks:[-92.570641]]
por omisión 19:52:49.802768+0100 coreaudiod

CAREportingClient.mm:699 Sending message { message="{
 \"issue_detected_sample_time\" = \"59219584.000000\";
 node = \"usb -Output\";
 peak = \"-240.000000\";
 \"report_type\" = RMS;
 rms = \"-120.000000\";
 \"rtaid_client\" = HAL;
 }\", reporters="{(
 1163936137226
)\" }
por omisión 19:52:49.802865+0100 coreaudiod IssueReporting.cpp:491

RTAID [use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=59219584.000000] -- [rms:
[-120.000000], peaks:[-240.000000]]
por omisión 19:52:56.174205+0100 coreaudiod

CAREportingClient.mm:699 Sending message { message="{


```
"issue_detected_sample_time" = "59513584.000000";
node = "-Output";
peak = "-92.315277";
"report_type" = RMS;
rms = "-103.999260";
"rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:52:56.174422+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=59513584.000000 ] -- [ rms:
[-103.999260], peaks:[-92.315277] ]
por omisión 19:52:59.810508+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "59660928.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:52:59.810689+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=59660928.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:53:06.181976+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "59954928.000000";
  node = "-Output";
  peak = "-92.543831";
  "report_type" = RMS;
  rms = "-104.018173";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:53:06.182107+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=59954928.000000 ] -- [ rms:
[-104.018173], peaks:[-92.543831] ]
por omisión 19:53:09.794924+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "60101248.000000";
  node = "usb -Output";
```

```
    peak = "-240.000000";
    "report_type" = RMS;
    rms = "-120.000000";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137226
  )" }
por omisión 19:53:09.795123+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=60101248.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:53:16.166500+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "60395248.000000";
  node = "-Output";
  peak = "-92.476089";
  "report_type" = RMS;
  rms = "-104.021919";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137227
)" }
por omisión 19:53:16.166620+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=60395248.000000 ] -- [ rms:
[-104.021919], peaks:[-92.476089] ]
por omisión 19:53:19.802645+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "60542592.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
}", reporters="(
  1163936137226
)" }
por omisión 19:53:19.802885+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=60542592.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
por omisión 19:53:26.174396+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "60836592.000000";
  node = "-Output";
  peak = "-92.433472";
  "report_type" = RMS;
```

```
    rms = "-104.012039";
    "rtaid_client" = HAL;
  }", reporters="(
    1163936137227
  )" }
por omisión 19:53:26.174542+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=-Output issue_detected_sample_time=60836592.000000 ] -- [ rms:
[-104.012039], peaks:[-92.433472] ]
por omisión 19:53:29.810331+0100 coreaudiod
CAReportingClient.mm:699 Sending message { message="{
  "issue_detected_sample_time" = "60983936.000000";
  node = "usb -Output";
  peak = "-240.000000";
  "report_type" = RMS;
  rms = "-120.000000";
  "rtaid_client" = HAL;
} ", reporters="(
  1163936137226
)" }
por omisión 19:53:29.810446+0100 coreaudiod IssueReporting.cpp:491
RTAID [ use_case=Generic report_type=RMS Generic Chain clientID=HAL
node=usb -Output issue_detected_sample_time=60983936.000000 ] -- [ rms:
[-120.000000], peaks:[-240.000000] ]
```